### CHINOOK LUNG FUNCTION CLINIC

204 542 7 Street South
LETHBRIDGE, AB T1J 2H1
PHONE: 403-327-7675 FAX: 403-327-7674
Appointment Date:

## BRONCHIAL PROVOCATION (METHACHOLINE CHALLENGE) PATIENT INFORMATION

(Please call 403- 327- 7675 if unable to attend appointment)

**PURPOSE**: This test will rule out certain lung conditions.

### **PREPARATION:**

1. It is **essential that you do not** take any medications for your breathing prior to testing.

2 Weeks Prior: Spiriva (Tiotropium Bromide Monohydrate)

# 3 Days Prior:

No Altarax, (hydroxyzine) Reactineor Zytec (cetirizine). Other antihistamines or antihistamine/decongestants such as: Allegra, Seldane, Claritin, Triaminic, Tavist, Benadryl, Cholor-Tripolon, Dristan, Dimetane, Drixoral, Optimine, Ornade, Polarmine, Pyribenzamine, Sine-Off, Sudafed Plus, Actifed, Coricidin, Periactin, or Phenegran should be stopped.

## **24 Hours Prior:**

Serevent, Oxeze, (long lasting Bronchodilators), Foradil, Theophylline preparations (Theodur, Quibron, Uniphyl, etc.,) Advair, Symbicort.

### 12 Hours Prior:

Ventolin, Berotec, Bricanyl, (Bronchodilators), Airomir, Salbutamol.

- 2. You may eat a light breakfast and/or light lunch.
- 3. Avoid smoking and the use of caffeine.
- 4. Please rebook if you have had a cold or chest infection in the past 6 weeks.

## **PROCEDURE:**

- 1. In the Pulmonary Function Testing room, the therapist will do a baseline-breathing test on you to make sure that your test is within acceptable limits prior to starting the actual procedure.
- 2. If the baseline test is normal, you will inhale a control solution of saline. Testing will then take place at intervals of 30 seconds, 90 seconds.
- 3. If results are still normal, then a drug called Methacholine will be inhaled. Again, testing will take place at 30 seconds and 90 seconds.
- 4. There may be up to 10 levels of this drug given, so testing can take one half to two hours to complete.
- 5. Testing will continue until a 20% change is noted on the breathing test, or until you have completed the highest level of Methacholine.
- 6. As testing progresses, you may notice some chest tightness and/or coughing.
- 7. At the end of the test, you will inhale a bronchodilator (which will reverse any adverse reaction to the Methacholine)
- 8. A repeat test will be performed after 15 minutes to ensure that your results have returned to normal.
- 9. Once you feeling well, you will be allowed to leave.